

### Open Frame Touch Monitor

#### HO 430 HTB

43" / 109,22cm Diagonal  
LED Backlight – Format 16:9

- 1920 x 1080 Full HD 1080P Resolution
- 10-Point Touch P-Cap Technology
- 178° / 178° Ultra Wide Viewing Angle
- 1200:1 High Contrast Ratio
- Glass Protection: Thickness 4mm
- IP54 (front) Rating Level
- ≥6H Toughened Hard Panel Surface
- Slim Profile with Narrow Edges
- Touch-Through Glass (available upon request\*)
- VESA Mount and Multiple Mounting Options
- Orientation: Landscape, Portrait, Face-Up



43" / 109,22 cm

Part No.: HO 430 HTB

#### SIZE, RESOLUTION



43"  
16:9 Aspect Ratio



Full HD  
1920 x 1080

#### CONNECTIVITY, IP LEVEL




HDMI  
VGA



IP 54  
Water & Dust  
Protection

#### VIEWING ANGLE, VESA



178 Ultra-Wide  
Viewing Angle




VESA

#### OTHER FEATURES





10 Points  
Touch



Glass  
Protection

Display Size	109,22 cm / 43" Diagonal
Panel Type	TFT – LED Backlight
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness	350cd/m <sup>2</sup> (Panel), 300cd/m <sup>2</sup> (Monitor)
Contrast (Typ.)	1.200:1 (Typical)
Display Area	943 (H) x 531(V)
Viewing Angle L/R; U/D	178° H / 178° V (CR > 10)
Response Time	8 msec
Pixel Pitch	0,490 (H) x 0,490 (V) mm
Touch Type	Projected Capacitive Type – 10 Point Touch Material Glass + Glass
Display Colors	16.7M Colors
Horizontal Frequency	30 ~ 83 kHz
Vertical Frequency	60 Hz
Max Display Frequency	1920 x 1080 @ 60Hz
Input 1	VGA
Input 2	HDMI
Input 3	USB Type B (Touch)
Input 4	-
Power Consumption	On: 33W; Stand-by: 0,5W; Off: 0,3W
AC Power Range	AC 100 ~ 240 Volt; 50 ~ 60 Hz
Product Dimensions	1013.3 x 69 x 601.5 mm (W x D x H)
Packing Dimensions	1110 x 170 x 700 mm (W x D x H)
Net / Gross Weight	28 Kg / 30 Kg

VESA Mounting	400 x 400 mm
Glass Protection	TP Thickness 4±0.3 mm
Hardness / Transmittance	≥6H Toughened hard panel surface / ≥85%
IP Rating Level	IP 54 (Front), Water and Dust Protection *
Controls	Power, Auto, (+), (-), Menu
Accessory	Power supply; HDMI Cable (1.5m); USB Cable for Touch.
On Screen Display	9 Languages
Orientation	Landscape, Portrait, Face-Up



Supplier's Name	HANNspree
Model Name	HO430HTB
Energy efficiency class for standard Dynamic Range (SDR)	D
Annual Energy Power Consumption (kWh/1000h)	33 kWh/1000h
On mode power demand for Standard Dynamic Range (SDR)	33 W
Off mode power demand (W)	0,3 W
Standby mode power demand (W)	0,5 W
Screen Diagonal (cm / inches)	109,22cm / 43"
Resolution	1920 x 1080

PART NO.:  
HO 430 HTB




4 711404 022630 >

**HANNSpree**

**HO 430 HTB**  
**43" Open Frame Touch Monitor**

Experts in **Display**



**HANNspree**

**HO 430 HTB**  
**43" Open Frame Touch Monitor**

Experts in **Display**

